

**TWIST  
WITHOUT THE  
SHOUT.**



**PULLING  
SWIVELS  
MEET  
BOCKZALL**

*Hydraulic Construction Equipment • (800) 698-2818 • [hceweb.com](http://hceweb.com)*

Specifically designed to protect the bearings from the harshest conditions on the planet, our full line of pulling swivels have become the industry standard – bar none.



# DELUXE DUB PULLING SWIVELS

- *Not the least expensive swivel but it will save you the most money*
- *Deluxe bearings that can handle tensile, compressive, and side loads*
- *Intricate quad-stage seal system designed specifically for HDD conditions*

DCD Design US Patent #5,529,421  
and Canadian Patent #2,109,041

**00508-705T** Screw a Deluxe DUB Swivel directly into any Depot backreamer



**00508-715V** Connect a deluxe swivel directly to your quick-disconnect starter rod



**00508-230** 30-ton deluxe DUB swivel



## Deluxe DUB (Clevis X Depot Reamer Shaft)


Description	Threaded Style Depot Reamer Part #	Shaft Dia.
5-ton, 3" diameter	00508-705T	2-1/2"
10-ton, 4" diameter	00508-710T	2-1/2"
15-ton, 4-3/4" diameter	00508-715T	2-1/2"
15-ton, 4-3/4" diameter	00508-715TH	3-1/2"
20-ton, 5-3/4" diameter	00508-720TH	3-1/2"
10-ton, 4" diameter, connection to 2-1/2" hex Quick-Disconnect	00508-710V	
15-ton, 4-1/2" diameter, connection to 2-1/2" hex Quick-Disconnect	00508-715V	

## Deluxe DUB (Clevis X API Box)

Description	API Box Style Part #
20-ton, clevis X 2-7/8" IF box, 5-3/4" diameter	00508-120D
30-ton, clevis X 2-7/8" IF box, 6" diameter	00508-130D
30-ton, clevis X 3-1/2" IF box, 6" diameter	00508-120E
40-ton, clevis X 3-1/2" IF box, 6-1/2" diameter	00508-140E
40-ton, clevis X 3-1/2" IF box, 6-1/2" diameter	00508-140F
60-ton, clevis X 4-1/2" IF box, 7-1/2" diameter	00508-160F
80-ton, clevis X 4-1/2" IF box, 9" diameter	00508-180F

## Deluxe DUB (Clevis X Clevis)

Description	Clevis Style Part #
2-1/2-ton, 2" diameter	00508-202
5-ton, 3" diameter	00508-205
10-ton, 4" diameter	00508-210
15-ton, 4-3/4" diameter	00508-215
20-ton, 5-3/4" diameter	00508-220
30-ton, 6" diameter	00508-230
40-ton, 6-1/2" diameter	00508-240
60-ton, 7-1/2" diameter	00508-260
80-ton, 9" diameter	00508-280



To place an order or find a dealer **800-833-1252**

Fax 24 hours a day: **805-614-9548**

**www.melfredborzall.com**



## VALU-DUB PULLING SWIVELS

- *By far the most swivel for your money*
- *Features a triple stage sealing system to keep debris from destroying bearings*

- *Push and pull loads are absorbed by premium quality angular contact bearings*
- *Fitted with a grease nipple for easy lubrication making it a long lasting swivel*

### Valu DUB (Clevis X Clevis)

Description	Part #
4-1/4-ton, 2" diameter	00503-204
5-ton, 2-1/4" diameter	00503-205
7-1/2-ton, 2-1/2" diameter	00503-208
10-ton, 2-1/2" diameter	00503-210
15-ton, 3" diameter	00503-215
15-ton for 2-1/2" Hex Quick-Disconnect	00503-715V
20-ton, 4-3/4" diameter	00503-220
30-ton, 5-3/4" diameter	00503-230
45-ton, 6" diameter	00503-245

**00503-230** 30-ton Valu-DUB swivel



### Valu DUB (Clevis X Depot Reamer Shaft)

Description	Threaded Style Depot Reamer Part #	Shaft Dia.
4-1/4 ton, 2" diameter	00503-704T	2-1/2"
5-ton, 2-1/4" diameter	00503-705T	2-1/2"
7-1/2 ton, 2-1/2" diameter	00503-708T	2-1/2"
10-ton, 2-1/2" diameter	00503-710T	2-1/2"
15-ton, 2-1/2" diameter	00503-715T	2-1/2"

**00503-210** 10-ton Valu-DUB swivel



**00503-715V** Connect a Valu-DUB Swivel directly to your quick-disconnect starter rod



## QUICK-SWIVEL

DESIGNED EXCLUSIVELY FOR THE EXCALIBUR BLADE

- *Lets you do direct pullbacks without removing the drill head*
- *Quickly bolts on to an Excalibur blade*
- *Swivel stays in line with the rotation of the drill head*
- *Made from the same quality components as the 5-ton ValuDUB swivel*

### Quick-Swivel

Description	Part #
5-ton Quick-Swivel	00503-205-QS

**00503-205-QS** 5-ton Quick-Swivel



**Do direct pullbacks without removing the drill head.**

# FLUTED REAMER REPLACEMENT SWIVELS


## DELUXE-DUB FLUTED REAMER SWIVELS

- Deluxe bearings that can handle tensile, compressive, and side loads
- Intricate quad-stage seal system designed specifically for HDD conditions
- Totally self contained and greaseable making it a long lasting swivel
- Hard-facing around face of flange minimizes wear at the head of the bolts

## VALU-DUB FLUTED REAMER SWIVELS

- Features a triple stage sealing system to keep debris from destroying bearings
- Push and pull loads are absorbed by premium quality angular contact bearings
- Totally self contained and greaseable making it a long lasting swivel
- Hard-facing around face of flange minimizes wear at the head of the bolts

**00504-D27** Replacement swivel for Ditch Witch Fluted Reamer




For use on . . .	Description	Part #
10" Depot Fluted Reamer	10,000 lbs. Deluxe DUB Flange Swivel	00508-605
10" Depot Fluted Reamer	20,000 lbs. Deluxe DUB Flange Swivel	00508-610
10" 12" Depot Fluted Reamer	20,000 lbs. Valu DUB Flange Swivel	00503-610
12" Depot Fluted Reamer	30,000 lbs. Valu DUB Flange Swivel	00503-615

**00508-610** 10-ton Deluxe-DUB Flange Swivel



**00503-615** 15-ton Valu-DUB Flange Swivel



### OEM Replacement Swivels

Use with	Capacity	Part #
Ditch Witch fluted reamer #368-942 and #368-944	27,000 lb.	00504-D27
Vermeer fluted reamers for D16x20 to D24x40 8" to 16" diameter	24,000 lb.	00504-V24

## SERIES 1000 PULLING SWIVELS

- A great swivel offering convenience and versatility
- Thread directly into reamers or directly into drill rod
- Attach to your quick-disconnect starter rod or EZ-connector

**1028-RTF** 5-ton swivel with Directional Depot reamer shaft thread.



■ Picture shown has RT-L55F coupling installed

### Series 1000

For use on . . .	Description	Part #
JetTrac 4/40a, 820, 920	5-ton, 2-1/2" diameter	1028-01
Navigator D7x11 (fine thread)	5-ton, 2-1/2" diameter	1028-L42M
Navigator D16x20 (fine thread)	5-ton, 2-1/2" diameter	1028-L43M
Directional Depot's reamer shaft thread	5-ton, 2-1/2" diameter	1028-RTF
	1028 repair kit	1028-R

**1028-L42M** 5-ton swivel for 2" Hex Quick-Disconnect



To place an order or find a dealer **800-833-1252**

Fax 24 hours a day: **805-614-9548**

**www.melfredborzall.com**

